

MATERIAL SAFETY DATA SHEET

ECP INCORPORATED
11210 KATHERINE'S CROSSING, SUITE 100
WOODRIDGE, IL 60517
TELEPHONE 630-754-4200
EMERGENCY 800-424-9300

HMIS HAZARD RATING	
HEALTH	0
FIRE	0
REACTIVITY	0
PERSONAL PROTECTION	C

DATE OF PREPARATION
SEPTEMBER 11, 2001
BY TECHNICAL SERVICES

DATE OF REVIEW/UPDATE
MARCH 12, 2009

SECTION 1 - PRODUCT IDENTIFICATION

ITEM NUMBER:

1004

PRODUCT NAME:

TECHNICIAN'S CHOICE TEC507 CORRECT-IT CLAY (GRAY)

PRODUCT CLASS:

CLAY BAR

SECTION 2 - HAZARDOUS INGREDIENTS

INGREDIENT CAS NUMBER	MAX. % BY WT.	TLV ¹	PEL ²
POLYBUTYLENE 9003-29-6	40	N/A	N/A
CALCIUM CARBONATE 471-34-1	60	N/A	N/A
SILICA 60676-86-0	30	N/A	N/A
PIGMENTS SOLUBLE MATERIALS TRADE SECRET	5		

Listed as IARC, NTP, or OSHA Carcinogen: None

SECTION 3 - PHYSICAL CHARACTERISTICS

BOILING POINT:	NOT APPLICABLE
VAPOR PRESSURE(mmHg @ 68F)	UNKNOWN
VAPOR DENSITY(AIR=1)	UNKNOWN
SOLUBILITY IN WATER:	PARTICALLY
SPECIFIC GRAVITY:	UNKNOWN
% VOLATILE	NOT APPLICABLE
MELTING POINT:	NOT APPLICABLE
EVAPORATION RATE(WATER=1)	0.0
APPEARANCE AND ODOR:	GRAY CLAY BAR

=====
SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT / METHOD: NONE / TCC
FLAMMABLE LIMITS: LEL: Not Applicable UEL: Not Applicable
EXTINGUISHING MEDIA: Not Applicable.

SPECIAL FIRE FIGHTING PROCEDURES: Not Applicable.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Not Applicable.
=====

SECTION 5 - HEALTH HAZARD DATA

SYMPTOMS OF OVEREXPOSURE:

EYES: NONE KNOWN
SKIN: Prolonged or repeated contact can cause moderate
irritation or redness.
INHALATION: Not applicable
INGESTION: None known.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE;

DERMATITIS MAY BE AGGRAVATED BY EXCESSIVE EXPOSURE TO
SKIN.

EMERGENCY AND FIRST AID PROCEDURES:

INHALATION Remove exposure. Restore breathing. Keep warm and quite.
SKIN Wash affected area with soap and water.
EYES Flush with large amounts of water. If symptoms develop,
get medical attention.
IF SWALLOWED Never give anything by mouth to an unconscious person.
Give several glasses of water. Seek medical attention.
=====

SECTION 6 - REACTIVITY DATA

STABILITY: Stable
INCOMPATIBILITY: Strong oxidizers
HAZARDOUS DECOMPOSITION PRODUCTS: Various hydrocarbons of incomplete
combustion.
HAZARDOUS POLYMERIZATION: Will not occur.
=====

SECTION 7 - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR LEAKED:

This product is a solid.

WASTE DISPOSAL METHOD:

Dispose of in accordance with federal, state and local
regulations.
=====

SECTION 8 - SPECIAL PROTECTION INFORMATION

VENTILATION:

Local exhaust preferred.

RESPIRATORY PROTECTION:

Generally not required.

SKIN PROTECTION:

Use Nitrile/Vinyl gloves.

EYE PROTECTION:

Safety glasses.

=====
SECTION 9 - PRECAUTIONARY INFORMATION

PRECAUTIONS TO BE TAKEN IN STORING AND HANDLING:

Do not smoke. Never wear soaked clothing. Launder or dry-clean before wearing. Discard soaked shoes. Affix proper warning labels on containers in accordance with 29CFR 1010.1200.

=====
SECTION 10 - REGULATORY INFORMATION

D.O.T. REQUIREMENTS (49CFR 172.101)

NONE

RQ (REPORTABLE QUANTITY) 49CFR 172.101

COMPONENT RQ (lb.)

NONE

TSCA (Toxic Substances Control Act) Status

The intentional ingredients of this product are listed.

CERCLA RQ - 40CFRV302.4

NONE

SARA 302 COMPONENTS - 40CFR 355 Appendix A

NONE

SECTION 311/312 HAZARD CLASS - 40CFR 370.2

Immediate (X) Reactive ()
Delayed (X) Sudden Release of Pressure ()
Fire ()

SARA 313 COMPONENTS - 40CFR 372.65

Section 313 Component CAS Number Maximum %
NONE

WORKPLACE HAZARDOUS INFORMATION SYSTEM (WHMIS)

INGREDIENT MAX. % LD50 LC50
BY WT.
NONE

=====
The information contained herein is based on data we believe to be correct. Any use of the product that is not in conformance with this MSDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

1 ACGIH
2 OSHA